

Provisional summary. Translated from German. Full documentation and images will be made available.

Client-number: 12524 Boxerdog / f / 4 years / Gundel / 30.3 kg

Symptoms: for the last two months she holds her left hind leg up after exertion+++
Limb atrophied, knee joint massively thickened, flexion and extension reduced and painful.

Diagnosis: massive arthritis / OCD, no drawer motion.

Treatment: Pre-Treatment with glycosamino glycans for a couple of months, various unknown rheumatic medication didn't show much effect, back to the breeder. Since then therapy with glycosamino glycans, chondroitin sulphate, 3 x ESWT, physio-therapeutic exercises with her owner.

Progress: no longer lame, even after wildly playing around or guarding.
After 4 weeks lameness barely noticeable, after 10 weeks muscular system markedly improved, very wild behaviour and pregnant at the moment.

Client-number: 13717 German Shepherd dog (Alsatian) / fd / 10 years / Xenia / 24 kg

Symptoms: Since her youth she's been under treatment by this clinic, from time to time analgesics, permanently glycosamino glycans, from time to time professional physiotherapy, for a couple of weeks now stiff (lifted) back with marked extension of the hind limbs, trouble with standing up and fear of jumping (car).

Diagnosis: inflammation of spinous process joint especially. Lumbar spine, hip joint dysplasia E left

Treatment: 2 x ESWT back, without sedation
1 x ESWT hip joint without sedation dorsal lateral/medial
1 x ESWT hip joint with sedation ventral/medial

Progress: After the 1st treatment visible progress with her demeanour, also improvement with her getting up, after 3rd ESWT-treatment she's going up and down the stairs without hesitation, also little jumps

Client-number: 14700 Italian Boxer dog / m / 1.6 years / Tango / 28.0 kg

Symptoms: weak hindquarters, will not extend hind limbs, falls over in curves at a gallop

Diagnosis: Unstable sacro-iliac joint +++

Treatment: 3 x ESWT without sedation

Progress: after 8 weeks willing to extend hindquarters, covers 25 cm more ground, no other medication

- Client-number:** 16917 big Swiss Sennen dog / female desexed / 4 years / 45 kg
- Symptoms:** limbs on both sides in front after 20 minutes walking, cries out regularly after little jumps (trunks, stairs, car)
- Diagnosis:** arthrosis of the elbows on both sides / old coronoid process fractures
- Treatment:** 1 x ESWT elbow with sedation
- Progress:** After 2 weeks 1 hour walking without complaints, regularly little jumps without problems
-
- Client-number:** 18496 Chow Chow / female desexed / 6 years / 38 kg
- Symptoms:** chronic lameness on both sides in front, extremely anxious
- Diagnosis:** arthrosis of the elbow on both sides / coronoid process
- Treatment:** 1 x ESWT with sedation in lateral/medial, much hair, **not permitted to clip.**
- Progress:** After 1 week no change alleged, until now no control
-
- Client-number:** 11544 Hovawart dog (large breed) / f / 10 years / Giara
- Symptoms:** acute problems with her hindquarters while getting up
- Diagnosis:** hip dysplasia on both sides with marked arthrosis
- Treatment:** 1 x ESWT in sedation lateral/medial, trimmed
- Progress:** After 1st day “like nothing happened”, control after 4 weeks “ everything is still going on well”
-
- Client-number:** 11544 Boxer / female desexed / 8 years / Angie / 27 kg
- Symptoms:** Rhythmical twitching particularly while sleeping, partly also while moving, coat bristles up in the beginning of a movement, no movement with her tail, when she stands still she changes immediately to standing still, painful course of movement with tense musculature.
- Diagnosis:** extreme spondylosis
- Treatment:** 3 x ESWT without sedation dorsal/ventral
- Progress:** After 1st treatment no twitching anymore, clearly longer steps, enjoys walking again, after 3rd ESWT-treatment walks for 1-1.5 hours, lays down only rarely, coat doesn't bristle up anymore (back), moves her tail again (since several months)

Client-number: 10470 Boxer / m / years / Dubaj

Symptoms: limps recurrent while walking, can't go for walks anymore, slight improvement with anti rheumatic medication of human medicine

Diagnosis: OCD shoulder joint on both sides

Treatment: 3 x ESWT with sedation + glycosamino glycans + chondroitin sulphate

Progress: 4 weeks on the lead without limping, after 10 weeks mountain walking without lameness or consequences

Client-number: 18153 Boxer / m / 7 years / Grent

Symptoms: lively dog, consequently moved, limping while walking, increase of complaints, increasing stifle joint effusion on one side, mild drawer sign. Arthrocentesis (sample obtained by puncture) not bloody

Diagnosis: old knee joint arthrosis on both sides.

Treatment: 2 x ESWT

Progress: 1st week after treatment free of pain, then deteriorated, after 2nd treatment little improvement.

Client-number: 19721 Irish Setter / f / 2.5 years / Julie / 20 kg

Symptoms: acute crying out while getting up, doesn't want to walk anymore, used to be tireless and happy. Arched back. Strong pain while stretching back and hip joint on both sides.

Diagnosis: Lumbago +++, hip joint dysplasia C

Treatment: 3 x, 2 x ESWT back, 1 x hip joint, Rimadyl 20 mg general, camphor emulsion local

Progress: After 1st treatment less pain, after 2 days no painkiller anymore, after about 10 days gallops again normally and swims. ESWT after 3 and 6 weeks repeated.

Client-number: 10208 Molosser x Bloodhound Mix / m / 3 years / Henry / 35 kg

Symptoms: After a fight increasing posterior paralysis with trouble while defecation, dragging both hindquarters

Diagnosis: Distorted sacroiliac joint, hip joint dysplasia E

Treatment: ESWT dorsal/ventral LSW, hip joint lateral /medial, no additional medication

Progress: 1st day after ESWT massive improvement of all symptoms, constantly to an improved state in compared with pre-treatment

- Client-number:** 19825 Rottweiler / male desexed / 2.5 years / Flex / 44 kg
- Symptoms:** limps for a long time now, various intensive treatments with numerous analgesics and NSAID without success
- Diagnosis:** marked arthritis of the elbows on both sides
- Treatment:** 2 x ESWT on both sides, 1 x lateral/medial, 1 x medial/lateral. Additional rubbings with camphor emulsion, glycosamino glycans und chondroitin sulphate.
- Progress:** After 1st treatment rapid improvement, after 6 weeks 2 hours intensive moving no pain at all.
-
- Client-number:** 11930 Malamut / f / 7 years / Yeti / 28 kg
- Symptoms:** since several months intermittent, recurrent lameness on both sides in front
- Diagnosis:** Tendinitis of the biceps on both shoulders.
- Treatment:** ESWT in sedation (extreme reaction on ESWT without sedation), glycosamino glycans as already years before prescribed, no additional treatment
- Progress:** Already after 1st ESWT no lameness anymore
-
- Client-number:** 18688 Spanish Schnauzer cross / male desexed / 6 years / Jonny / 11 kg
- Symptoms:** Since 3 crying outs while going up the stairs, non weight bearing, left hind.
- Diagnosis:** Distorted knee joint with a slight cranial drawer sign. Resection of the head of Femur on the right side several years ago with strong contractures of the whole thigh musculature.
- Treatment:** ESWT, Caps, salicylic acid
- Progress:** After 3 weeks still a slight pulling up of the limbs on the left side after movement, no signs of pain anymore
-
- Client-number:** 12113 Bordeau Dogge (large breed)/ f / 10 months / Brösel / 37 kg
- Symptoms:** massive limping of all limbs, little spontaneous walking. Intensive pre-treatment with various analgesics
- Diagnosis:** pain of epiphyseal line with coronoid process and hip joint dysplasia on both sides, various tenosynovitis at the phalanxes
- Treatment:** ESWT, glycosamino glycans + chondroitin sulphate
- Progress:** gradual improvement of the general state, improved demeanour because of less painful movement.